

**FORENSIC DNA TYPING OF SHORT TANDEM REPEATS (STRs)
RESULTS OF QUESTIONNAIRE
June 2000**

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Alaska Scientific Crime Detection Lab 5500 E. Tudor Rd. Anchorage, AK 99507 POC: Leanne Strickland Voice: 907-269-5740 FAX: 907-338-6614	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*Convicted Offenders: started 3/99
Alabama Department of Forensic Sciences 2451 Fillingim St. Mobile, AL 36617 POC: Elaine Scott Voice: 334-471-7026 FAX: 334-470-5816	Yes		CTT and PowerPlex 1.1*	Slab Gel Electrophoresis	Yes*		*PowerPlex 1.1 in implementation (casework) All but D1S80 will be phased out on casework
Arkansas State Crime Laboratory #3 Natural Resources Dr, Little Rock, AR 72015 POC: Kermit B. Channell II Voice: 501-227-5747	Yes		PowerPlex 1.1 FFFL PowerPlex 2.1*	Slab Gel Electrophoresis (Hitachi)	Yes		* Currently validating PowerPlex 2.1
AZDPS CRCL P.O. Box 6638 Phoenix, AZ 85005 POC: Kathleen Sartor Voice:602-223-2765 FAX: 602-223-2924	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
AZDPS NRCL 1140 W. Kaibab Flagstaff, AZ. 86001 POC: Benita Robbins Voice:520-773-3643 FAX:520-773-3665	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		
AZDPS SRCL 6401 S. Tucson Blvd. Tucson, AZ 85706 POC: Curtis Reinbold Voice:520-746-4546 FAX: 520-746-4569	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		Tucsonlab@cybertrails.com
Mesa Police Dept. Crime Lab 130 N. Robson Mesa, AZ 85201 POC: Joyce Lee Voice: 480-644-4961 FAX: 480-644-2478 joyce_lee@ci.mesa.az.us	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		Profiler Plus – online 7/1/98 Cofiler –online 5/1/99 *discontinued PM/DQA1 and D1S80
Phoenix Police Department Crime Lab 620 W. Washington St. Phoenix, AZ 85003 POC: Debbie Figarelli Voice: 602-262-6197 FAX: 602-495-0169		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer		No*	*Currently validating *Never did any other DNA testing
Scottsdale Police Dept. 9065 E. Via Linda Scottsdale, AZ 85258 POC: Steven R. Clemens Voice: 480-312-8144 FAX: 480-391-5092	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	No response		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
City/County Crime Laboratory Tucson Police Department 270 S. Stone Ave. Tucson, AZ 85701-1917 POC: Alan Hatch Voice: 520-791-4494 FAX: 520-791-4642	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Dept. of Justice State of California Fresno Laboratory 6014 N. Cedar Fresno, CA 93710 POC: Rodney H. Andrus Voice: 559-278-2982 FAX: 559-297-3544	Yes		AmpF λ STR Profiler Plus	310 Genetic Analyzer	No response		Scrugg@hdcdojnet.state.ca.us
Los Angeles County Sheriff's Office 2020 W. Beverly Blvd. Los Angeles, CA 90057 POC: Steve Renteria Voice: 213-989-2160 FAX: 213-483-8368	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		Srrenter@lasd.org
Los Angeles Police Dept. Crime Laboratory 555 Ramirez St. Space #270 Los Angeles, CA. 90012 POC: Larry Blanton Voice: 213-847-0063 FAX: 213-237-0036		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*Validation in progress, expect to go online by 1/1/2000 *plan to discontinue D1S80

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
GeneTree Inc. 4015 Fabian Way Palo Alto, CA 94503 POC: Terry Carmichael Voice: FAX: 650-494-3893	Yes		AmpF λ STR Profiler Plus	PE 373	Yes		
Long Beach Genetics 2384 E. Pacifica Place Rancho Dominguez, CA 90220 POC: John A. Taddie Voice: 310-632-8900 FAX: 310-632-9424	Yes		PowerPlex 1.2, Lifecodes Multiplex 1	310 Genetic Analyzer * Slab Gel Electrophoresis		No	*PowerPlex (310) *Lifecodes Multiplex (slab gel electrophoresis)
Sacramento County Laboratory of Forensic Services 4800 Broadway, Suite 200 Sacramento, CA 95820 POC: Jill Spriggs Voice: 916-874-9240 FAX: 916-874-9620		Yes	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*conventional typing and DQA1/PM *Currently validating
Genetic Profiles Corp. 6122 Nancy Ridge Drive San Diego, CA 92121 POC: Thomas Gilroy, Ph.D. Voice: 619-623-0840 FAX: 619-623-0842	Yes*		Promega: CSF1PO, TPOX, TH01, F13A01, FFSFPS, vWA, D16S539, D7S820, D13S317, F13B, LPL Lifecodes: FGA, D7S820, D1S533, D9S304, D12S1090, D3S1744, D18S849	Slab Gel Electrophoresis	Yes*		*Paternity *will likely discontinue RFLP in 1-2 years

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Orange County Sheriff's Department 320 N. Flower St. Santa Ana, CA 92703 POC: Rob Keister Voice: 714-834-4510 FAX: 714-834-4519 rsk@fss.co.orange.ca.us	Yes		AmpF λ STR Profiler Plus, CTT	310 Genetic Analyzer, Molecular Dynamics Fluorimager (CTT)	Yes*		*RFLP: will retain for 1-2 years, greatly reduced D1S80: plan to discontinue <1 year DQA1: discontinued PM: never used
Colorado Bureau of Investigation 690 Kipling St. Suite 4000 Denver, CO 80215 POC: Kathy Dressel Voice: 303-239-4300 FAX: 303-239-9859		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer (Casework) PE 377 (Database)		No*	*Currently validating *Using STR for CODIS state database
Connecticut State Police Forensic Science Lab 278 Colony St. Meriden, CT 06451 POC: Carll Ladd Voice: 203-639-6400 FAX: 203-639-6498	Yes		AmpF λ STR Profiler Plus and COfiler	PE 377	Yes*		*may keep PM/DQA1 and RFLP for select cases
Federal Bureau of Investigation 935 Pennsylvania Ave. NW Washington, D.C. 20535 POC: Jenifer Smith Voice: 202-324-5436	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*continuing to use RFLP, have discontinued PM/DQA1 and D1S80
Delaware State Police P.O. Box 430 Dover, DE 19903 POC: Julie Willey Voice: FAX: 302-739-4752							Do not currently perform any type of DNA testing.

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Broward Crime Laboratory Broward Sheriff's Office 201 SE 6 th St Ft. Lauderdale, FL 33301 POC: Dr. George Duncan Voice: FAX:	Yes		AmpF λ STR Profiler Plus	310 Genetic Analyzer	Yes		
Miami-Dade Police Dept. 9105 NW 25 th St Miami, FL. 33172 POC: Willard Stuver Voice: 305-471-2090 FAX: 305-471-2052	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Georgia Bureau of Investigations Division of Forensic Sciences 3121 Panthersville Rd. Decatur, GA 30034 POC: Ted R. Staples, M.S. Voice: 404-244-2828 FAX: 404-244-2389 ted.staples@gbj.state.ga.us	Yes*		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		*Since 11/97
Honolulu Police Dept. Crime Laboratory 801 S. Beretania St. Honolulu, HI 96813 POC: Wayne Kimoto Voice: 808-527-3557 FAX: 808-529-3514		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer		No	*Currently validating

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Iowa Department of Public Safety Crime Laboratory Wallace Building Des Moines, IA 50319 POC: Michael J. Peterson Voice: 515-281-5138 FAX: 515-242-6297	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*will keep D1S80 available
Dept. of Law Enforcement Forensic Services 700 Stratford Dr. Meridian, ID 83642-6202 POC: Richard D. Graff Voice: 208-884-7170 FAX:208-884-7197		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	No response		*Will be starting validation very soon (have two 310s for use)
Illinois State Police Springfield Forensic Science Lab 2040 Hill Meadows Dr. Springfield, IL 62702 POC: Karen R. Kucharik Voice: 217-782-4975 FAX: 217-524-1752	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Indiana State Police 8500 East 21 st St Indianapolis, IN 46219 POC: Todd Bille Voice: FAX: 317-899-8298	Yes		PowerPlex 1.1*	Slab Gel Electrophoresis (with FMBIO)	Yes*		*since Feb. 1998 *discontinued DQA1, PM and D1S80

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Kansas Bureau of Investigation 1620 SW Tyler Topeka, KS 66612 POC: Sindy Schueler FAX: 785-368-6564	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		
Kentucky State Police Forensic Lab 100 Sower Blvd. Ste. 102 Frankfort, KY 40601 POC: Lucy A. Davis FAX: 502-564-4821	Yes*		AmpF λ STR Profiler Plus*	PE 377*	Yes		*as of Aug. 15th * validating Cofiler and 310 Genetic Analyzer
Reliagene Technology Inc. Sudhir Subha Ph.D. President and Laboratory Director 5525 Mounes St. Suite 101 New Orleans, LA 70123 POC: Joe Warren Voice: 504-734-9700 FAX: 800-256-4556	Yes		AmpF λ STR Profiler Plus and Cofiler And PowerPlex 1.1*	310 Genetic Analyzer	Yes		*PowerPlex 1.1 no longer in use
North Louisiana Crime Lab Director of DNA Research and Training 1115 Brooks St. Shreveport, LA. 71101 POC: Pat Wojtkiewicz, Ph.D. FAX: 318-227-9013	Yes		AmpF λ STR Profiler Plus and COfiler	PE 377		No*	*Reduced the use of PM/DQA1 and D1S80
Boston Police Dept. Crime Laboratory One Schroeder Plaza Boston, MA 02120 POC: Donald R. Hayes, Jr. Voice: 617-343-4690 FAX: 617-343-4818	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		Variaroj.bpd@ci..boston.ma.us

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Cellmark Diagnostics, Inc. 20271 Goldenrod Lane Germantown, MD 20876 PC: Lisa L. Grossweiler Voice: 301-428-4980 FAX: 301-428-4877	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*D1S80-yes RFLP, PM/DQA1 : will be decided in future Currently validating
Baltimore County Police Department 700 East Joppa Rd. Towson, MD 21286 POC: Lynnda Watson Voice: 410-887-4124		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		*Currently validating lynnda@home.com
Maryland State Police Crime Laboratory 1201 Reisterstown Rd. Pikesville, MD 21208 POC: Teresa M. Long FAX: 410-653-4378		Yes*	PowerPlex 1.1	Slab Gel Electrophoresis (FMBIO)	Yes		*Currently validating (PowerPlex 1.1 and 2.1 and/or Megaplex)
Maine State Police Crime Lab 30 Hospital St. Augusta, ME 04333-0133 POC: Timothy Kupfesschuid FAX: 207-624-7123	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Michigan State Police 6296 Dixie Hwy P.O. Box 608 Bridgeport, MI 48722 POC: David Bicigo Voice: 517-777-9300 FAX: 517-777-0551							Bridgeport Branch sends their cases to East Lansing Branch or Lab Corp

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, DIS80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Michigan State Police 714 South Harrison East Lansing, MI 48823 POC: Charles Barna Voice: FAX:	Yes		AmpF λ STR Profiler Plus & Cofiler	310 Genetic Analyzer	Yes		Barnac@state.mi.us 3 labs using these systems
Hennipin County Sheriff's Office Crime Lab 626 S. 6 th St. Minneapolis, MN 55415 POC: Marlys Harens FAX: 612-348-4907	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	No response		STR has passed Frye challenge. DA Steve Redding 612 348 5965. State vs Brian Dishmon et.al Court case # 99-047345
Genetic Technologies, Inc. P.O. Box 242 Glencoe, MO 63038 POC: Jami Harman Voice: 636-451-4363 FAX: 636-451-5317 Jharman@genetictechnoloies.com	Yes		AmpF λ STR Profiler Plus	310 Genetic Analyzer			Started using STRs at the time of incorporation (small, private company)
Missouri State Highway Patrol Crime Lab 1510 E. Elm St. Jefferson City, MO 65101 POC: Cary Maloney Voice: 573-526-6134 FAX: 573-751-9922 cmaloney@mail.state.mo.us	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Kansas City Police Department 6633 Troost Kansas City, MO 64131 POC: Frank Booth Voice: 816-349-3200 FAX: 816-349-3240	Yes*		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*began July 1999 phase out period not to exceed 6 months
Mississippi Crime Lab 1700 E. Woodrow Wilson Ave. Jackson, MS 39216 POC: Deborah Haller Voice: 601-987-1600 FAX: 601-987-1615		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*currently validating (currently using PM, DQA1, and D1S80 – will discontinue)
ST. Louis Police Department Laboratory Division 1200 Clark Street St. Louis, MO 63103 POC: Mary Beth Karr Voice: 314-444-5537 FAX: 314-444-5512 mbkarrdna@juno.com	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*except for paternity cases, will go RFLP currently validating
Montana Dept. of Justice 554 W. Broadway Missoula, MT 59801 POC: Jim Streeter Voice: FAX: 406-549-1067	Yes*		PowerPlex 1.1 (casework) AmpF λ STR Profiler Plus and Cofiler (Violent Offenders)	Slab Gel Electrophoresis (Casework) 310 Genetic Analyzer (Violent Offenders)	Yes		*Currently validating Profiler Plus and Cofiler for Convicted Offenders and CODIS

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Charlotte-Mecklenburg Police Department Crime Laboratory 601 E. Trade Street, 4 th Floor Charlotte, NC 28202 POC: Jeff Sailus Voice: 704-336-2316 FAX: 704-353-0088 jsailus@cmpd.ci.charlotte.nc.us	Yes*		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Not applicable		
North Carolina State Bureau of Investigation 121 E. Tryon Rd. Raleigh, NC 27603 POC: Mark S. Nelson Voice: 919-662-4500 FAX: 919-662-4523	Yes*		PowerPlex 1.1* (prior to that used CTTA)	Slab Gel Electrophoresis	Yes*		*for last three years *currently validating PowerPlex 2.1 to get all 13 CODIS core loci *discontinued RFLP
LabCorp 1912 Alexander Dr. Research Triangle Park, NC 27709 POC: Dr. Marcia Eisenberg Voice: 919-361-7760 FAX: 919-361-7797	Yes		AmpF λ STR Profiler Plus and Cofiler* Home Brew	PE 377, Slab Gel Electrophoresis		No	*in final validation
North Dakota Department of Health-Crime Lab Division 2635 East Main (Box 937) Bismarck, ND 58502 POC: Aaron E. Rash Voice: 701-328-6141 FAX: 701-328-6145 Arash@state.nd.us		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	No response		*Currently validating (Have sent cases to Cellmark using AmpF λ STR Profiler Plus and Cofiler) 1yr casework

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Nebraska State Patrol Criminalistics Laboratory 1233 Arapahoe St. Lincoln, NE 68502 POC: Kevin Brewer Voice: 402-471-8950 FAX: 402-471-8954		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	No response		*currently validating kbrewer@nsp.state.ne.us
New Hampshire State Police Forensic Lab 10 Hazen Dr. Concord, NH 03305 POC: Melisa Weber Voice: 603-271-3573 FAX: 603-271-1086		Yes	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		Not validating yet
New Jersey State Police Central Lab 380 Scotch Road Ewing, NJ 08628 POC: Linda B. Jankowski Voice: 609-671-0022 FAX: 609-671-0037	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Albuquerque Police Department 400 Roma NW Albuquerque, NM 87102 POC: Catherine Dickey Voice: 505-768-2230 FAX: 505-768-2576	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*Discontinued RFLP, DQA1/PM Have testified in 3 district courts without challenges

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
New Mexico Department of Public Safety P.O. Box 1628 Santa Fe, NM 82504-1628 POC: Susan Scholl Voice: 505-827-3370 FAX: 505-827-3318	Yes		AmpF λ STR Profiler Plus	310 Genetic Analyzer	Yes		
Las Vegas Metro Police Dept.- Forensic Lab. 6771-B W. Charleston Blvd. Las Vegas, NV. 89146 POC: Thomas A. Wahl Voice: 702-229-3292 FAX: 702-229-3948	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Washoe County Sheriff's Office 911 Parr Blvd. Reno, NV. 89512 POC: Jeff Riolo Voice: 775-328-2800 FAX: 775-328-2831	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		Testified both Federal and District Courts
New York State Police 1220 Washington Ave. Bldg 30 Albany, NY 12226-3000 POC: Stephen Swinton Voice: 518-457-1208 FAX: 518-457-2477	Yes*		AmpF λ STR Blue and Green I	PE 377	Yes		Will be implementing new kits (AmpF λ STR Profiler Plus and Cofiler) and platform (310). Currently validating.

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Suffolk County Crime Lab P.O. Box 6100 Hauppauge, NY 11787-0099 POC: Joseph Galdi Voice: 516-853-5585 FAX: 516-853-5739 Jgaldi@hotmail.com	Yes		AmpF λ STR Profiler Plus and COfiler and AmpF λ STR Green I	310 Genetic Analyzer, PE 377, PE 373	Yes		*Currently validating, expect to go on-line this month
Genetica DNA Laboratories, Inc. 8740 Montgomery Rd. Cincinnati, OH 45236 POC: Elizabeth Panke, MD, Ph.D. Voice: 513-985-9777 FAX: 513-985-9983 Identity@genetica.com		Yes	AmpF λ STR Profiler Plus and COfiler	PE 377	No response		Not currently validating
Ohio Bureau of Criminal Identification and Investigation P.O. Box 365 London, OH 43140 POC: Roger Kahn Voice: 614-466-8204 X 201 FAX: 740-852-1603	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer		Yes*	* still use PM/DQA1 in some labs during validation
Oklahoma City Police Department DNA/Serology Laboratory 616 Colcord Dr. Oklahoma City, OK 73102 POC: Joyce Gilchrist Voice: 405-297-1000 FAX: 405-297-1870		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	No response		*currently validating

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Tulsa Police Department Forensic Laboratory 600 Civic Center #108 Tulsa, OK 74103 POC: Valerie Mattimore, PhD Voice: 918-596-9266 FAX: 918-596-1875	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Oregon State Police Forensic Lab 1111 SW 2 nd Ave Rm. 1201 Portland, OR 97204 POC: Cecilia H. von Beroldingen Voice: 503-229-5017 FAX: 503-229-6638	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes*		*RFLP and D1S80 already discontinued; PM/DQA1 will be discontinued once all analysts are STR-qualified
Allegheny County Coroner's Office, Division of Labs 10 County Office Building Pittsburgh, PA. 15216 POC: Kelly Buettner Voice: 412-350-6873 FAX: 412-350-3861		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer		No	*currently validating
State of Rhode Island Department of Health Laboratories 50 Orms St. Providence, RI 02904 POC: Robin Smith Voice: 401-222-5600 FAX: 401-222-6985		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer		No*	*currently validating *will not discontinue additional testing immediately

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
South Carolina Law Enforcement Division P.O. Box 21398 Columbia, SC 29221 POC: David McClure Voice:803-896-7383 FAX: 803-896-7351		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	No response		*currently validating plan to go online within a month
South Dakota State Forensic Lab c/o 500 E. Capitol 3500 E. Highway 34 Pierre, SD 57501 POC: Rex Riis Voice: 605-773-3673 FAX: 605-773-5658		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	No response		*Currently validating
Tennessee Bureau of Investigation Crime Laboratory 3021 Lebanon Road Nashville, TN 37214 POC: Connie Howard Voice: 615-741-4476 FAX: 615-741-4787	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
DNA Diagnostics, Inc. P. O. Box 215 Carthage, TX 75633 POC: Dr. Melba Ketchum Voice: FAX: 903-693-6499	Yes*		AmpF λ STR Profiler Plus and COfiler	PE 377	Yes		*already internally validated

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, DIS80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
GeneScreen, Inc. 2600 Stemmons Freeway Suite 133 Dallas, TX 75207 POC: William Watson Voice:800-362-8378 FAX: 214-634-3322	Yes		AmpF λ STR Profiler Plus and PowerPlex 1.1	PE 373 and Slab Gel Electrophoresis	Yes		
Ft. Worth Police Forensic Science Lab 350 W. Belknap St. #406A Ft. Worth, TX 76102 POC: Aliece Watts FAX: 817-877-8208		Yes*	AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		*Currently validating
University of North Texas Health Science Center 3500 Camp Bowie Blvd Fort Worth, TX 76107 POC: Arthur Eisenberg, Ph.D. Voice: 817-735-5015 FAX: 817-735-5016	Yes		PowerPlex 1.1, FFFL, and PowerPlex 2.1	Slab Gel Electrophoresis (with Hitachi FMBIO)		No*	*Still do RFLP testing for many cases and will not be discontinuing RFLP at the present time
Houston Police Department Crime Laboratory 1200 Travis St. Houston, TX 77002 POC: James R. Bolding Voice: 713-308-2600 FAX: 713-308-2645	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Office of the Medical Examiner of Harris County Joseph A. Jachimczyk Forensic Center 1885 Old Spanish Trail Houston, TX 77054-2099 POC: Joseph Mathew, Ph.D. Voice: 713-796-6830 FAX: 713-796-6838	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer		Yes	Joe mathew@meo.co.harris.tx.us
Bexar County Forensic Science Center Criminal Investigation Lab 7337 Louis Pasteur, San Antonio, TX 78229-4565 POC: Lonnie Ginsberg Voice: 210-335-4100 FAX: 210-335-4101	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Texas Department of Public Safety Crime Laboratory-Austin P.O. Box 4143 Austin, TX 78763-4143 POC: Brady W. Mills Voice: 512-424-2105 FAX: 512-424-2869	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Texas Department of Public Safety Crime Laboratory- Austin (CODIS) 5805 N. Lamar Austin, TX 78752 POC: Dr. Dennis Loockerman Voice:512-424-2385 FAX: 512-424-2386	Yes*		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer* PE 377*	Yes*		*Convicted Offender *CE: 1 st 1126 offenders *PE 377: currently due to higher throughput *Discontinued RFLP

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Texas Department of Public Safety Crime Laboratory-Corpus Christi 1922 S.P.I.D. Corpus Christi, TX 78416 POC: Patricia Graham Voice: FAX: 361-698-5674	Yes		AmpF λ STR Profiler Plus and Cofiler*	310 Genetic Analyzer	Yes		*for CODIS
Texas Department of Public Safety Crime Laboratory-El Paso 11612 Scott Simpson El Paso, TX 79936-6210 POC: Christine Cenicerros Voice: 915-856-0085 FAX: 915-856-7714	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Texas Department of Public Safety Crime Laboratory-Garland 350 W. Interstate 30 Garland, TX 75043 POC: Lorna Beasley Voice: 214-861-2190 FAX: 214-861-2194	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Texas Department of Public Safety Crime Laboratory- Houston 10110 NW Freeway Houston, TX 77092 POC: Ede Emerick Voice: 713-957-6152 FAX: 713-957-6174	Yes		AmpF λ STR Profiler Plus	310 Genetic Analyzer	Yes		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Texas Department of Public Safety Crime Laboratory-Lubbock P.O. Box 420 Lubbock, TX 79408 POC: Cathy McCord Voice: 806-747-4491, ext. 270 FAX: 806-749-1070	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Texas Department of Public Safety Crime Laboratory-McAllen 1414 N. 18 th McAllen, TX 78501 POC: Orlando Ochoa Voice: FAX: 956-687-9679	Yes		AmpF λ STR Profiler Plus	310 Genetic Analyzer	Yes		Currently validating
Texas Department of Public Safety Crime Laboratory-Waco 1617 East Crest Dr. Waco, TX 76705 POC: Pat Retzlaff Voice: 254-867-4680 FAX: 254-867-4685	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Utah Bureau of Forensic Services 4501 South 2700 West Salt Lake City, UT 84114 POC: Pilar Shortsleeve Voice: 801-965-3870 FAX: 801-964-4544	Yes		AmpF λ STR Profiler Plus	310 Genetic Analyzer	Yes		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Fairfax Identity Laboratories 3025 Hamaker Ct. #203 Fairfax, VA 22031 Dr. Riley Voice: 703-698-3919 FAX: 703-204-9125	Yes*		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer		No	*including Texas Office of Attorney General for Paternity
Department of Criminal Justice Services Virginia Division of Forensic Science 700 N. 5 th St. Richmond, VA 23219 POC: Deanne Dabbs Voice: 804-786-2281 FAX: 804-786-9985	Yes		PowerPlex 1.1	Slab Gel Electrophoresis (FMBIO)	Yes		
Vermont Forensic Laboratory Dept. of Public Safety 103 S. Main St. Waterbury, VT 05676 POC: Peg Schwartz Voice:802-244-8788 FAX: 802-241-5557 cjisOlab@dps.state.vt.us		Yes*	AmpF λ STR Green I (CTTA) AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		*will go online Aug. 1999. Validating AmpF λ STR Profiler Plus and COfiler
Washington State Patrol Crime Lab Public Safety Building 610 3 rd Avenue Seattle, WA 98104 POC: Don MacLaren Voice: 206-464-7074 FAX: 206-587-5023	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	No response		Dmaclar@wsp.wa.gov

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Marshall University Medical School West Virginia CODIS Lab 1542 Spring Valley Drive Huntington, WV 25704-9388 POC: Bridget M. Tincher, MSFS Voice: 304-696-7539 FAX: 304-696-7207	Yes*		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		*no casework, CODIS samples only
West Virginia State Police 725 Jefferson Road South Charleston, WV 25309 POC: Ted Smith Voice: 304-746-2273 FAX: 304-746-2230 Smithta@wvnm.wvnet.edu or Smith.ted.a@worldnet.att.net	Yes*		AmpF λ STR Profiler Plus AmpF λ STR Cofiler (CODIS only) CTT, FFV (casework since 1996)	310 Genetic Analyzer (CODIS) PE 377 Slab gel electrophoresis	Yes*		*casework since 1996: hundreds of cases *discontinued RFLP 1996 DQAalpha discontinued 1999 Never used PM Will continue to use D1S80
Wisconsin State Crime Lab 4706 University Ave. Madison, WI 53705 POC: Marie Beth Varriale Voice: 608-266-2031 FAX: 608-267-1303	Yes		AmpF λ STR Profiler Plus and COfiler	310 Genetic Analyzer	Yes		
Wyoming Division of Criminal Investigation State Crime Lab Cheyenne, WY POC: Sandy Mays		Yes*	PowerPlex	Slab Gel Electrophoresis (FMBIO)	No response		*currently validating
Laboratory Information	STR Analysis		System(s) Used	Method Used	Additional Testing (i.e.		Comments

	(Casework)				RFLP, D1S80, PM/DQA1) Discontinued		
	Use Now	Plan to Use			Already Have	Plan To	
National DNA Data Bank RCMP Central Forensic Laboratory 1200 Vanier Parkway Ottawa, Ontario, CANADA K1G-3M8 POC: Chantal Frégeau, Ph.D. Voice: 613-993-4206 FAX: 613-952-7325	Yes		AmpF λ STR Profiler Plus AmpF λ STR Cofiler	PE 377	Yes		
Dr. Anna Barbaro Department of Molecular Genetics Office of Medical and Forensic Investigations Reggio Calabria-ITALY Simef@tiscalinet.it	Yes		AmpF λ STR Profiler Plus AmpF λ STR Cofiler AmpF λ STR Profiler AmpF λ STR SGM Plus	PE 310	N/A		
Antonio Amorim IPATIMUP R. Roberto Frias, s/n 4200 Porto PORTUGAL +351 22 5570700 phone +351 22 5570799 fax	Yes		AmpF λ STR Profiler Plus CTTV Promega	PE 310	N/A		Research and Diagnostic Uses also

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Dr. Franz Neuhuber Institute of Legal Medicine University of Salzburg Province Salzburg AUSTRIA	Yes		AmpF λ STR Profiler Plus AmpF λ STR Profiler AmpF λ STR SGM Plus	PE 310	N/A		
Dr. Allison Eastman New York State Police Forensic Investigation Center Albany, NY, USA 12226-3000	Yes		AmpF λ STR Profiler Plus AmpF λ STR Cofiler AmpF λ STR Blue AmpF λ STR Green	PE 310 PE 377	N/A		
Dr. Richard Zehner Institute of Legal Medicine University of Frankfurt Frankfurt GERMANY	Yes		AmpF λ STR Profiler Plus	PE 310	N/A		Also conducts Paternity Testing

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Dr. Brian McKeown AstraZeneca Cellmark Diagnostics UNITED KINGDOM Note: Company different from Cellmark in United States	Yes		AmpF λ STR Profiler Plus AmpF λ STR SGM Plus	PE 310 (Paternity) PE 377 (Forensic)	N/A		310 only on Paternity due to large volumes handled by this lab. 377 Used with forensic work due to volume.
Prof. Ryszard Pawlowski Institute of Forensic Medicine Medical University of Gdansk PL 80-210, Debinki 7 POLAND +48 (58) 3491253 phone +48 (58) 3410485 fax	Yes		AmpF λ STR Profiler Plus	PE 310	N/A		Additional applications include Loss of Heterozygosity studies (LOH) in Cancer as well as Bone Marrow chimerism studies
Dr. Thomas Scholl Director of Product Development Director of Forensic Programs Myriad Genetic Laboratories 320 Wakara Way Salt Lake City, UT, USA 84108 801 584 1126 phone 801 584 1190 fax	NO		AmpF λ STR Profiler Plus AmpF λ STR Cofiler	PE 377	N/A		Research Company

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Tom Abercrombie Assistant Laboratory Director State of California, Dept. of Justice DNA Lab 626 Bancroft Way Berkely, CA 94710	YES		AmpF λ STR Profiler Plus AmpF λ STR Cofiler	PE 310 PE 377	N/A		Profiler Plus on casework now. Convicted offender samples with both systems
Ronald j. Rubocki Laboratory Director Human DNA Identification Laboratory University of Nebraska Medical Center Omaha, NE 68198-5454 402 559 7660	YES		AmpF λ STR Profiler Promega CTT FFv	PE 310	N/A		STR use for Bone Marrow Engraftment
Debbie Glidewell Senior Forensic Scientist Palm Beach Sheriff's Office Crime Lab West Palm Beach, FL	YES		Promega PowerPlex 1.1	Hitachi FMBIO	N/A		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Dr. Michael Smith Principal Investigator NCI SAIC and National Cancer Institute	NO		AmpF λ STR Profiler Plus AmpF λ STR Cofiler	PE 377	N/A		Analysis of needles turned into needle exchanges
Stewart Allen +2712 8455686 Fax: +2712 8455914 Strlab@iafrica.com South African Police Service Forensic Science Laboratory Private bag X620 Pretoria 0001 SOUTH AFRICA	Yes		AmpF λ STR Profiler Plus	PE 377 PE 310	N/A		Use these systems for Paternity work as well
Dr. Rodrigo Soares de Moura Neto Professor of Genetics Federal University of Rio de Janeiro Rio de Janeiro, RJ, BRAZIL	YES		CSF1P0, TPOX, TH01, F13A01, FESFPS,vWA,D3S1 744, D7S820, D121090, D13S317, D16S539, D18S849	Silver Stain	N/A		Paternity analysis done with these systems as well as forensic casework

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Denver Police Department Crime Laboratory Bureau 1331 Cherokee Street Room 648 Denver, Colorado, USA 80204 720 913 6015 phone 720 913 7015 fax Gregory S. LaBerge Labergeg@ci.denver.co.us	YES		AmpF λ STR Profiler Plus AmpF λ STR Cofiler	ABI 310	N/A		DQA1/PM, D1S80 still available
Marcelo Malaghini Public Safety Secretary of the Parana State Government Criminalistic Institute of the Judiciary Police Department Forensic DNA Analysis Unit Av. Visconde de Guarapuava, 2652, 80010-100 Curitiba-PR, BRAZIL 005541223-6565 phone 0055412245194 fax malaghini@bigfoot.com	YES		CTT (Promega) FFv (Promega) Silver STR (Promega) Multiplex I (Lifecodes) Multiplex II (Lifecodes) Profiler Plus (PE) Cofiler (PE) LPL (Promega) F13B (Promega) HPRTB (Promega)	ABI 310 Silver Stain	N/A		At this time. Converting to fluorescent analysis on Profiler Plus and Cofiler with ABI 310.

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Bureau of Legal Dentistry (BOLD) University of British Columbia Dr. David Sweet 146-2355 East Mall Vancouver, BC, V6T-1Z4 CANADA 604 822 8822 phone 604 822 8884 fax boldlab@unixg.ubc.ca	Yes		AmpF λ STR Profiler Plus	ABI 310	N/A		Specializes in forensic dentistry and DNA analysis relating to forensic odontology

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Singapore Contact: Wai-Fun Tan TAN_Wai_Fun@MOH.gov.sg	Yes		Profiler Plus from Aug 2000	ABI 377	N/A		
Hong Kong Contact: Betty Law MyLaw@govtlab.gov.hk	Yes		Profiler Plus from Aug 2000	ABI 310	N/A		
France Contact: Dr. Francois Guidet Francois.Guidet@sante.univ.nantes.fr	Yes		SGM +, Profiler, Profiler Plus	ABI 377/ABI 310	N/A		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
The Bode Technology Group Inc. 7364 Steel Mill Drive Springfield, VA 22150 Contact: Kevin McElfresh, Ph.D. Phone: 703-644-1200 FAX: 703-644-7730 Corporate Web Site: http://www.bodetech.com	Yes		AmpF λ STR Profiler Plus and Cofiler Powerplex I & II	ABD 377 & 3700	N/A		
Armed Forces DNA Identification Laboratory 1413 Research Blvd. Bldg. 101, 2 nd Floor Rockville, MD 20850 Ms. Demris Lee, MSFS Chief DNA Analyst, nucDNA Section Phone #: 301-319-0263 email: lee@afip.osd.mil	Yes		AmpF λ STR Profiler Plus and Cofiler	310 Genetic Analyzer	Yes		The Armed Forces DNA Identification Laboratory should accept cases selected from outside federal and non-federal agencies, as long as the casework does not prevent AFDIL from carrying out its primary mission of support of the OAFME and the U.S. Army Central Identification Laboratory, Hawaii.

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
PRO-DNA Diagnostic Inc 5345 de l'Assumption Boulevard Suite 125 Montreal, Quebec CANADA HIT4B3 Dr. Danielle Desmarais Phone: 514-252-3495 FAX: 514-899-9669 Corporate Web Site: http://www.proadn.com	Yes		Promega Geneprint Fall 200 AmpF λ STR Profiler Plus and COfiler	Fall 2000 310 Genetic Analyzer	Yes		
Maxxam Analytics Inc. Human DNA Department 335 Laird Road, Unit4 Guelph, Ontario CANADA L6H 6L4 (519) 836-2400 Contact: Chris Weland Human DNA Department (519) 836 2400	Yes		AmpF λ STR Profiler Plus and COfiler	ABI 377	N/A		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Australian Capital Territory Contact Dr. Julie Sutton julie.sutton@afp.gov.au	Yes		AmpF λ STR Profiler Plus	ABI 377/ABI 310 Genetic Analyzer	N/A		
Australia New South Wales Contact Mr. Robert Goetz rgoetz@wsahs.nsw.gov.au	Yes		AmpF λ STR Profiler Plus	ABI 377/ABI 310 Genetic Analyzer	N/A		
Australia New South Wales Institute of Forensic Medicine Contact: Ms. Sarah Robinson srobin@iofm.cs.nsw.gov.au	Yes		AmpF λ STR Profiler Plus	ABI 377/ABI 310 Genetic Analyzer	N/A		
Australia Northern Territory Contact: Ms. Joy Kuhl joy.kuhl@msexchange.pfes.nt.gov.au	Yes		AmpF λ STR Profiler Plus	ABI 377/ABI 310 Genetic Analyzer	N/A		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Australia Queensland Contact: Mr. Leo Freney Freneyl@health.qld.gov.au	Yes		AmpF λ STR Profiler Plus	ABI 377/ABI 310 Genetic Analyzer	N/A		
South Australia Contact: Mr. Chris Pearman Pearman.chris@saugov.sa.gov.au	Yes		AmpF λ STR Profiler Plus	ABI 377/ABI 310 Genetic Analyzer	N/A		
Australia Tasmania Contact: Mr. Laszlo Szabo Laszlo.szabo@dpiwe.tas.gov.au	Yes		AmpF λ STR Profiler Plus	ABI 377/ABI 310 Genetic Analyzer	N/A		
Australia Victoria Contact: Dr. Peta Stringer Petastringer@bigpond.com	Yes		AmpF λ STR Profiler Plus	ABI 377/ABI 310 Genetic Analyzer	N/A		

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Genelex Corporation 2203 Airport Way S. Seattle, WA 98134 Contact: Anne Pace Phone: 206-382-9591 FAX: 206-382-6277 Corporate Web Site: http://www.genelex.com	Yes		PowerPlex (Promega) 1.1 and 2.1	Hitachi FMBIO	N/A		
The Bode Technology Group, Inc. 7364 Steel Mill Drive Springfield, Virginia 22150 Charity A. Diefenbach Forensic Technical Leader 703-644-1200 charity@bodetech.com	Yes		Profiler Plus/Cofiler & Promega PowerPlex systems	ABI 377			Conducted internal validation on Profiler Plus/Cofiler prior to performing casework.

Laboratory Information	STR Analysis (Casework)		System(s) Used	Method Used	Additional Testing (i.e. RFLP, D1S80, PM/DQA1) Discontinued		Comments
	Use Now	Plan to Use			Already Have	Plan To	
Florida Dept. of Law Enforcement (Includes 6 STR labs throughout FL) Tallahassee Crime Lab 2331 Phillips Road Tallahassee, FL 32308 (850) 410-7538 casework (850) 410-7710 database Annmarie Dowden	Yes		Profiler Plus/Cofiler	casework: ABI 310 database: ABI 310 & a 3700	Stopped using RFLP & DQPM		
Center of Forensic Sciences Crime Lab for the Province of Ontario Toronto Canada Brian McGuire Assistant Crown Attorney Brampton, Ontario Brian.McGuire@jus.gov.on.ca	Yes		Profiler Plus and Cofiler				Profiler Plus has been on line since April of 2000